Ecofan®

HEAT POWERED STOVE FAN

ORIGINAL



MODEL 800

Models: E800BB - 800UK-XBX All Black

UK OPERATING INSTRUCTIONS & WARRANTY CONDITIONS

Caframo CALFIRE

Ecofan® Operating Instructions

The Ecofan is designed to be used on freestanding wood stoves with normal surface temperatures of 230°F - 650°F (110°C- 345°C). Temperatures above 650°F (345°C) may damage your Ecofan. Relocate your Ecofan to a cooler spot on your stove if the surface temperature exceeds 650°F (345°C). Good wood stove safety practice includes using a stove thermometer.

Safety

- Ensure the Ecofan handle is upright before placing on stove.
- While in use, the base of the Ecofan is very hot. **DO NOT TOUCH!** When repositioning your Ecofan always use the handle.

Getting the Most From Your Ecofan®

For optimum performance, placement on the stove's surface is critical. Be sure to position the Ecofan on the stove top so that cool air will be drawn over the cooling fins. The Ecofan should not be used directly in front of the stove pipe or at the front of the stove.

NOTE: Overheating will reduce the Ecofan's effectiveness and may damage the thermoelectric module and void the warranty. Remove the Ecofan from stove if temperature exceeds 650°F (345°C).



Motor Replacement Kits



Part # MRKCA02

The Ecofan motor is designed for several seasons of use under normal operating conditions. If your fan spins much slower or the blade requires a push to start, a simple *motor replacement* may be the solution.

Please contact Calfire Spareline Ltd at 01691 772922 or sales@calfire.com for further details or dealer information.

Specifications

Model	800 Original	810 UltrAir	812 AirMax
Airflow	100 CFM	125 CFM	175 CFM
Fuel Savings	12%	14%	18%
Feel the Heat Faster*	20%	31%	38%
Minimum Stove Top**	230°F (110°C)	212°F (100°C)	185°F (85°C)
Blade Size	8" (206 mm)	8" (206 mm)	9" (232 mm)

* Time taken to reach 68°F (20°C) from a cold start of 63°F (17°C) in a standard test environment
ORIGINAL: 87 minutes **UltrAir**: 76 minutes **AirMax**: 68 minutes **No fan**: 110 minutes

** Temperature required to produce 50 CFM airflow

For further information or answers to Frequently Asked Questions please visit www.ecofan.com

Keep the Box

We recommend that you keep the your Ecofan® box. You can use this for storage over the summer months and it will make it easier if you need to return the fan under guarantee or for refurbishment.

Join the Eco'fan' Club

Visit www.ecofan.co.uk and click on The Eco'fan' Club . Here you will be able to read customers testimonials and view pictures of Ecofans' in use. There is a link provided for you to download your comments and pictures for inclusion on the site.

UK WARRANTY

This product is warranted to be free from any manufacturer's defects in material and workmanship for a period of 1 year from the date of purchase. Should this product become defective or fail to operate under normal conditions within this 1 year period, simply return the unit, together with the original invoice or cash register slip, to our UK distributors Calfire at the following address:

Calfire Spareline Ltd., Gledrid. Chirk. Wrexham LL14 5DC

Repair or replacement of the product in the UK shall be at the option of Calfire.

This warranty covers household use only and does not cover commercial or industrial use. This warranty does not cover abnormal wear or damages resulting from accident, misuse, abuse or, if applicable, breakage (when such breakage is not due to a manufacturing defect) and any other incidental or consequential damages.

This warranty is in lieu of any other expressed warranties. Should repair become necessary after the warranty period has expired then send your product to Calfire for a refurbishment quotation. See **www.ecofan.co.uk** for details of the UK refurbishment program.

UK Distributor CALFIRE

Calfire Spareline Ltd
Gledrid
Chirk
Wrexham
LL14 5DG
UK

Tel: 01691 772922
Fax: 01691 773552
http: www.ecofan.co.uk
http: www.calfire.com
email: sales@calfire.com

Manufacturer Caframo

Caframo Limited
501273 Grey Road 1
Georgian Bluffs, Ontario
NOH 2TO
Canada

Tel: 001-519-523-1080
http: www.caframo.com
email: contactus@caframo.com

800MN003 Rev02
800UKUGWISS1